BOOK-SHELF TYPE 2-WAY 3-SPEAKER SYSTEM

KS-401HT

SERVICE MANUAL

KENWOOD

©1998-6/B51-5449-00 (Z/K)1777

EXTERNAL VIEW :FRONT SPEAKER



SPECIFICATIONS

Enclosure .....Acoustic air suspension type Magnetically shielded
Woofer .....100 mm, cone type x2
Tweeter .....25 mm, balance dome type
Impedance .....8 Ω
Maximum input level .....100 W
Dimensions .....W: 190mm (7-1/2")
H: 387mm (15-1/4")
D: 214.5mm (8-7/16")
Net Weight .....4.0 kg

Note:

KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.

EXTERNAL VIEW/SPECIFICATIONS

CENTER SPEAKER: MECHANICAL 2-WAY SPEAKER SYSTEM



SPECIFICATIONS

Enclosure .....Acoustic air suspension Magnetically shielded type
Full range .....100 mm, cone type(with sub cone)
Impedance .....8 Ω
Maximum input level .....60 W
Dimensions .....W: 350mm (12-3/4")
H: 150mm (5-7/8")
D: 152mm (6")
Net Weight .....2.2 kg

Note:
KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.

REAR SPEAKER: FULL RANGE SPEAKER SYSTEM



SPECIFICATIONS

Enclosure .....Acoustic air suspension type
Full range .....100 mm, cone type
Impedance .....8 Ω
Maximum input level .....60 W
Dimensions .....W: 200mm (7-7/8")
H: 150mm (5-7/8")
D: 142mm (5-9/16")
Net Weight .....1.3 kg

Note:
KENWOOD follows a policy of continuous advancements in development. For this reason specifications may be changed without notice.

NOTE :DO NOT REMOVE THE GRILLE.
SERVICE :PRODUCTS (UNIT) EXCHANGE.

DIVIDING NETWORK UNIT

FRONT SPEAKER



≪ ; #. 205 FASTON

≪ ; #. 110 FASTON

CENTER SPEAKER



≪ ; #. 205 FASTON

≪ ; #. 110 FASTON

REAR SPEAKER



≪ ; #. 205 FASTON

≪ ; #. 110 FASTON

PARTS LIST

PARTS LIST

∗ New Parts
Parts without **Parts No.** are not supplied.
Les articles non mentionnes dans le **Parts No.** ne sont pas fournis.
Teile ohne **Parts No.** werden nicht geliefert.

Ref. No.	Address	New Parts	Parts No.	Description	Destination	Remarks
KS-401HT						
-			B46-0328-03	WARRANTY CARD	KY	
-			B46-0336-03	WARRANTY CARD	P	
-			B59-1104-00	SERVICE DIRECTORY	Y	
-		*	B61-0964-00	INSTRUCTION MANUAL		
-		*	H10-6564-08	POLYSTYRENE FOAMED FIXTURE		
-		*	H10-6565-08	POLYSTYRENE FOAMED FIXTURE		
-		*	H13-1849-08	CARTON BOARD		
-		*	H13-1850-08	CARTON BOARD		
-		*	H25-2177-08	PROTECTION BAG		
-		*	H51-1170-08	ITEM CARTON CASE	KPY	
-		*	H51-1171-08	ITEM CARTON CASE	M	
-		*	W01-1088-08	ACCESSORY		
-		*	X20-1820-10	REAR SPEAKER UNIT(R)	KPY	
-		*	X20-1820-11	REAR SPEAKER UNIT(L)	KPY	
-		*	X20-1820-21	REAR SPEAKER UNIT(R)	M	
-		*	X20-1820-22	REAR SPEAKER UNIT(L)	M	
FRONT SPEAKER(X20-1810-10(R):K,P,Y 0-11(L):K,P,Y 0-21(R):M 0-22(L):M)						
-		*	A21-3144-08	DRESSING PANEL		
-		*	B06-1259-08	GRILLE ASSY		
-		*	H25-2212-08	PROTECTION BAG		
-		*	J19-4083-08	GRILLE HOLDER		
-		*	N09-3683-08	TAPPING SCREW		
SP1		*	T10-0849-05	WOOFER		
SP3		*	T03-0702-05	TWEETER		
CENTER SPEAKER(X20-1830-10:K,P,Y 0-21:M)						
-		*	B06-1261-08	GRILLE ASSY		
-		*	E21-0288-08	PUSH TERMINAL		
-		*	H25-2214-08	PROTECTION BAG		
SP2		*	T07-0461-05	FULLRANGE		
DIVIDING NETWORK UNIT(X21-7560-10:(R) 0-11:(L))						
C1		*	C90-5026-08	NP-ELEC 1.0UF 100WV		
-			E21-0275-08	PUSH TERMINAL		
-		*	E21-0285-08	PUSH TERMINAL		

L: Scandinavia **K:** USA **P:** Canada **R:** Mexico **C:** China **I:** Malaysia
Y: PX(For East Hawaii) **T:** England **E:** Europe **G:** Germany **V:** China(Shanghai)
Y: AAFES(Europe) **X:** Australia **Q:** Russia **H:** Korea **M:** Other Areas

⚠ indicates safety critical components.